



## DOCUMENT ANNEXE



Effort extérieur Traînée dans repère pièce Bateau 1


No	Temps(s)	Norme
000	+0.00e+000	+7.50e+001
001	+2.00e-001	+7.50e+001
002	+4.00e-001	+7.50e+001
003	+6.00e-001	+7.50e+001
004	+8.00e-001	+7.50e+001
005	+1.00e+000	+7.50e+001
006	+1.20e+000	+7.50e+001
007	+1.40e+000	+7.50e+001
008	+1.60e+000	+7.50e+001
009	+1.80e+000	+7.50e+001
010	+2.00e+000	+7.50e+001
011	+2.20e+000	+7.50e+001
012	+2.40e+000	+7.50e+001

Valeur mini : 75.000000  
 Valeur maxi : 75.000000  
 Moyenne : 75.000000

Signature

Arrêt

Aide



Effort extérieur G2/T3 dans repère pièce Bateau 1

No	Temps(s)	Norme
000	+0.00e+000	+3.36e+002
001	+5.00e-001	+2.70e+002
002	+1.00e+000	+2.14e+002
003	+1.50e+000	+1.60e+002
004	+2.00e+000	+1.06e+002
005	+2.50e+000	+5.26e+001
006	+3.00e+000	+7.17e-001
007	+3.50e+000	+5.40e+001
008	+4.00e+000	+1.07e+002
009	+4.50e+000	+1.61e+002
010	+5.00e+000	+2.14e+002
011	+5.50e+000	+2.68e+002
012	+6.00e+000	+3.31e+002

Valeur mini : 0.717154  
 Valeur maxi : 336.425800  
 Moyenne : 175.023126

Signature

Arrêt

Aide

